

# BAKERSFIELD BLM CALIFORNIA SPECIAL STATUS PLANTS

Thursday, September 20, 2012

10:57:57 AM

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Agrostis hooveri</i>	Hoover's bent grass	VASC	Poaceae			BLMS	1B.2		G2	S2.2		No					K												
<i>Allium shevockii</i>	Spanish Needle onion	VASC	Alliaceae			BLMS	1B.3		G1	S1.3		No	15-Nov-10	Southern Sierra Nevada.			K										K		
<i>Ancistrocarphus keilii</i>	Santa Ynez groundstar	VASC	Asteraceae			BLMS	1B.1		G1	S1.1		No	15-Nov-10				S												
<i>Arctostaphylos morroensis</i>	Morro manzanita	VASC	Ericaceae	FT			1B.1		G2	S2		Yes	13-Sep-12				K												
<i>Arctostaphylos pilosula</i>	Santa Margarita manzanita	VASC	Ericaceae			BLMS	1B.2		G3	S3		No	13-Sep-12				K												
<i>Arctostaphylos rudis</i>	sand mesa manzanita	VASC	Ericaceae			BLMS	1B.2		G2	S2.2		No					K												
<i>Aristocapsa insignis</i>	Indian Valley spineflower	VASC	Polygonaceae			BLMS	1B.2		G2	S2.2		No					S												
<i>Astragalus erterae</i>	Walker Pass milk-vetch	VASC	Fabaceae			BLMS	1B.3		G1	S1.2		No					K										K		
<i>Astragalus hornii var. hornii</i>	Horn's milk-vetch	VASC	Fabaceae			BLMS	1B.1		G4G5T2 T3	S1		No	13-Sep-12				K												
<i>Astragalus shevockii</i>	Shevock's milk-vetch	VASC	Fabaceae			BLMS	1B.3		G2	S2.2		No					K												
<i>Atriplex cordulata var. cordulata</i>	heart-leaved saltbush	VASC	Chenopodiaceae			BLMS	1B.2		G2?	S2.2?		No	13-Sep-12	Occurrence number 82 in the CNDDDB is on BLM lands in the Carrizo Plain. Other occurrences in the San Joaquin Valley are proximate to BLM lands.			K												
<i>Atriplex cordulata var. erecticaulis</i>	Earlimart orache	VASC	Chenopodaceae			BLMS	1B.2		G3T2	S2.2		No	13-Sep-12	Formerly <i>A. erecticaluis</i> Stutz, Chu & Sanderson.			S												
<i>Atriplex coronata var. vallicola</i>	Lost Hills crownscale	VASC	Chenopodiaceae			BLMS	1B.2		G4T2	S2		No	15-Nov-10	Formerly <i>A. vallicola</i> Hoover.			K												
<i>Atriplex subtilis</i>	subtle orache	VASC	Chenopodaceae			BLMS	1B.2		G2	S2.2		No					S												
<i>Brodiaea insignis</i>	Kaweah brodiaea	VASC	Themidaceae		SE	BLMS	1B.2		G1	S1		No	13-Sep-12				S												

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>California macrophylla</i>	round-leaved filaree	VASC	Geraniaceae			BLMS	1B.1		G2	S2		No	13-Sep-12	Likely to occur in Hollister FO acc 12/10/08 email from Jim Weigand. Nonspecific (1 mile) CNDDDB Occurrence 18 in the Bakersfield FO (Kern Co.) has BLM lands within the mapped circle.			S					S								K
<i>Calochortus obispoensis</i>	San Luis mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2	S2.1		No					S													
<i>Calochortus palmeri var. palmeri</i>	Palmer's mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2T2	S2.1		No	12-Oct-11	CNDDDB occurrence number 66 is located on Ridgecrest parcels. CNDDDB occurrence 18 and 20 are located on scattered Bakersfield parcels.			K										K			
<i>Calochortus simulans</i>	San Luis Obispo mariposa lily	VASC	Liliaceae			BLMS	1B.3		G2	S2.3		No					S													
<i>Calochortus striatus</i>	alkali mariposa lily	VASC	Liliaceae			BLMS	1B.2		G2	S2		No					K	S									K			
<i>Calochortus westonii</i>	Shirley Meadows star-tulip	VASC	Liliaceae			BLMS	1B.2		G2	S2.2		No					K													
<i>Calycadenia hooveri</i>	Hoover's calycadenia	VASC	Asteraceae			BLMS	1B.3		G2	S2.2		No	15-Nov-10				S													
<i>Calycadenia villosa</i>	dwarf calycadenia	VASC	Asteraceae			BLMS	1B.1		G2	S2.1		No	15-Nov-10				S													
<i>Calyptridium pulchellum</i>	Mariposa pussypaws	VASC	Montiaceae	FT			1B.1		G1	S1		No	15-Nov-10	This is the treatment in the Jepson Manual 2nd edition. Flora North America puts this species into the genus <i>Cistanthe</i> .			S													
<i>Camissonia integrifolia</i>	Kern River evening-primrose	VASC	Onagraceae			BLMS	1B.3		G2	S2		No	13-Sep-12				S													
<i>Carex obispoensis</i>	San Luis Obispo sedge	VASC	Cyperaceae			BLMS	1B.2		G2	S2.2		No					K													
<i>Carlquistia muirii</i>	Muir's raillardella	VASC	Asteraceae			BLMS	1B.3		G2	S2.3		No	15-Nov-10	Formerly <i>Raillardia muirii</i> (Gray) Rydb.			K										K			
<i>Carpenteria californica</i>	tree-anemone	VASC	Hydrangeaceae		ST	BLMS	1B.2		G1	S1?		No	13-Sep-12				S													
<i>Castilleja campestris subsp. succulenta</i>	succulent owl's clover	VASC	Orobanchaceae	FT	SE		1B.2		G4?T3	S3		No	13-Sep-12				K				K									
<i>Castilleja densiflora subsp. obispoensis</i>	Obispo Indian paintbrush	VASC	Orobanchaceae			BLMS	1B.2		G5T2	S2.2		No	15-Nov-10				S													

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH		
<i>Caulanthus californicus</i>	California jewelflower	VASC	Brassicaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12			K						K									
<i>Caulanthus lemmonii</i>	Lemmon's jewelflower	VASC	Brassicaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly <i>C. coulteri</i> Wats. var. <i>lemmonii</i> (Wats.) Munz.			K														
<i>Chlorogalum purpureum</i> var. <i>purpureum</i>	purple amole	VASC	Agavaceae	FT			1B.1		G2T2	S2		No	13-Sep-12	Critical Habitat, known habitat in Bakersfield Field Office (Mineral Estate).			S					S									
<i>Chloropyron molle</i> ssp. <i>hispidum</i>	hispid bird's-beak	VASC	Orobanchaceae			BLMS	1B.1		G2T2	S2.1		No	15-Nov-10	Name change from <i>Cordylanthus mollis</i> ssp. <i>hispidus</i> to <i>Chloropyron molle</i> ssp. <i>hispidum</i> as of March 3, 2011.			S					S									
<i>Chorizanthe breweri</i>	Brewer's spineflower	VASC	Polygonaceae			BLMS	1B.3		G2	S2.2		No					S														
<i>Chorizanthe rectispina</i>	straight-awned spineflower	VASC	Polygonaceae			BLMS	1B.3		G1	S1.2		No					K					K									
<i>Cirsium crassicaule</i>	slough thistle	VASC	Asteraceae			BLMS	1B.1		G2	S2.2		No					S														
<i>Cirsium fontinale</i> var. <i>obispoense</i>	Chorro Creek bog thistle	VASC	Asteraceae	FE	SE		1B.2		G2T2	S2		Yes	13-Sep-12				S														
<i>Cirsium occidentale</i> var. <i>lucianum</i>	Cuesta Ridge thistle	VASC	Asteraceae			BLMS	1B.2		G3G4T2	S2		No	13-Sep-12	CNDDDB maps about a mile from BLM lands near Santa Margarita Lake.			S														
<i>Cirsium rhotophilum</i>	surf thistle	VASC	Asteraceae		ST	BLMS	1B.2		G1	S1		No	13-Sep-12	On BLM lands at the Point Sal ACEC.			K														
<i>Cirsium scariosum</i> var. <i>loncholepis</i>	La Graciosa thistle	VASC	Asteraceae	FE	ST		1B.1		G5T1	S1		No	13-Sep-12	Critical Habitat, potential habitat in BFO (Mineral Estate). Name change from <i>Cirsium loncholepis</i> to <i>Cirsium scariosum</i> var. <i>loncholepis</i> as of March 3, 2011.			S														
<i>Clarkia australis</i>	small southern clarkia	VASC	Onagraceae			BLMS	1B.2		G2	S2.2		No					S														
<i>Clarkia springvillensis</i>	Springville clarkia	VASC	Onagraceae	FT	SE		1B.2		G2	S2		No	13-Sep-12				S														
<i>Clarkia tembloriensis</i> subsp. <i>calientensis</i>	Vasek's clarkia	VASC	Onagraceae			BLMS	1B.1		G3T1	S1.1		No					S														
<i>Cordylanthus rigidus</i> subsp. <i>littoralis</i>	seaside bird's-beak	VASC	Orobanchaceae		SE	BLMS	1B.1		G5T2	S2		No	13-Sep-12				K					K									
<i>Deinandra halliana</i>	Hall's tarplant	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	13-Sep-12	Formerly <i>Hemizonia halliana</i> Keck.			S					K									

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Deinandra increscens subsp. villosa</i>	Gaviota tarplant	VASC	Asteraceae	FE	SE		1B.1		G4G5T2	S2		No	13-Sep-12	Formerly <i>Hemizonia increscens</i> Keck subsp. <i>villosa</i> Tanowitz. Proposed Critical Habitat, Mineral Estate.			S												
<i>Delphinium parryi subsp. blochmaniae</i>	dune larkspur	VASC	Ranunculaceae			BLMS	1B.2		G4T2	S2.2		No				S													
<i>Delphinium purpusii</i>	Kern County Larkspur	VASC	Ranunculaceae			BLMS	1B.3		G2	S2		No	13-Sep-12	Known only from rocky areas in Kern and Tulare counties with 15-20 occurrences known. Very localized with several occurrences on road cuts.			K												
<i>Delphinium recurvatum</i>	recurved larkspur	VASC	Ranunculaceae			BLMS	1B.2		G3	S3		No	13-Sep-12				K				K								
<i>Delphinium umbracolorum</i>	umbrella larkspur	VASC	Ranunculaceae			BLMS	1B.3		G2G3	S2S3.3		No				S													
<i>Dithyrea maritima</i>	beach spectaclepod	VASC	Brassicaceae		ST	BLMS	1B.1		G2	S2.1		No				S								S					
<i>Dudleya abramsii subsp. murina</i>	mouse-gray dudleya	VASC	Crassulaceae			BLMS	1B.3		G3T2	S2.3		No	15-Nov-10				S												
<i>Eremalche kernensis</i>	Kern mallow	VASC	Malvaceae	FE			1B.1		G3?T1Q	S1		Yes	13-Sep-12				K												
<i>Eriastrum luteum</i>	yellow-flowered eriastrum	VASC	Polemoniaceae			BLMS	1B.2		G2	S2.2		No					K												
<i>Erigeron blochmaniae</i>	Blochman's leafy daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No					K												
<i>Erigeron multiceps</i>	Kern River daisy	VASC	Asteraceae			BLMS	1B.2		G2	S2.2		No					S												
<i>Eriodictyon altissimum</i>	Indian Knob mountainbalm	VASC	Boraginaceae	FE	SE		1B.1		G1	S1		Yes	13-Sep-12				S												
<i>Eriogonum kennedyi var. pinicola</i>	Kern buckwheat	VASC	Polygonaceae			BLMS	1B.1		G4T1	S1.1		No					S									K			
<i>Eriogonum nudum var. murinum</i>	mouse buckwheat	VASC	Polygonaceae			BLMS	1B.2		G5T2	S2.2		No					K				K								

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH	
<i>Eriogonum temblorense</i>	Temblor buckwheat	VASC	Polygonaceae			BLMS	1B.2		G2	S2.2		No		Known only from eastern Monterey Co., eastern San Luis Obispo Co., and western Kern Co. Within the Bakersfield Field Office it occurs on shaly/barren soils in the Temblor Range and Elkhorn Plain. This habitat type appears to be very scattered and limited.			K													
<i>Eschscholzia rhombipetala</i>	diamond-petaled California poppy	VASC	Papaveraceae			BLMS	1B.1		G1	S1.1		No				S														
<i>Fritillaria ojaiensis</i>	Ojai fritillary	VASC	Liliaceae			BLMS	1B.2		G2	S2		No	13-Sep-12			S														
<i>Fritillaria striata</i>	striped adobe-lily	VASC	Liliaceae		ST	BLMS	1B.1		G2	S2		No	13-Sep-12			S														
<i>Galium angustifolium subsp. onycense</i>	Onyx peak bedstraw	VASC	Rubiaceae			BLMS	1B.3		G5T2	S2.3		No				K														
<i>Galium hardhamiae</i>	Hardham's bedstraw	VASC	Rubiaceae			BLMS	1B.3		G2	S2.3		No				K														
<i>Gratiola heterosepala</i>	Boggs Lake hedge-hyssop	VASC	Plantaginaceae		SE	BLMS	1B.2		G2	S2		No		This is a vernal pool plant. Can be found in man-made reservoirs.	K	K			K		K					K				
<i>Hesperocyparis nevadensis</i>	Piute cypress	VASC	Cupressaceae			BLMS	1B.2		G2	S2.2		No	15-Nov-10	Formerly in <i>Cupressus</i> . Then moved to <i>Callitropsis forbesii</i> by Little (2006) Syst. Bot. 31(3):461-480. The Jepson Manual second edition uses the name above in accordance with Adams et al. 2009 Phytologia 91: 160-185.			K													
<i>Heterotheca shevockii</i>	Shevock's golden-aster	VASC	Asteraceae			BLMS	1B.3		G1	S1.3		No	15-Nov-10			S														
<i>Iris munzii</i>	Munz's iris	VASC	Iridaceae			BLMS	1B.3		G2	S2.3		No				S														
<i>Lasthenia glabrata subsp. coulteri</i>	Coulter's goldfields	VASC	Asteraceae			BLMS	1B.1		G4T3	S2.1		No				K														
<i>Layia heterotricha</i>	pale-yellow layia	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	13-Sep-12			K					K									
<i>Layia jonesii</i>	Jones' layia	VASC	Asteraceae			BLMS	1B.2		G1	S1.1		No				S														
<i>Layia leucopappa</i>	Comanche Point layia	VASC	Asteraceae			BLMS	1B.1		G1	S1.1		No				S														
<i>Layia munzii</i>	Munz's tidy-tips	VASC	Asteraceae			BLMS	1B.2		G1	S1.1		No				K														

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Lepidium jaredii</i> subsp. <i>jaredii</i>	Jared's pepper-grass	VASC	Brassicaceae			BLMS	1B.2		G1T1	S1.2		Yes	16-Nov-10	Subspecies of <i>L. jaredii</i> are not recognized in Jepson Manual 1st or 2nd editions or by Flora North America.			K												
<i>Lomatium shevockii</i>	Owens Peak lomatium	VASC	Apiaceae			BLMS	1B.3		G1	S1.3		No				K											K		
<i>Lupinus citrinus</i> var. <i>citrinus</i>	orange lupine	VASC	Fabaceae			BLMS	1B.2		G2T2	S2.2		No				S													
<i>Lupinus ludovicianus</i>	San Luis Obispo County lupine	VASC	Fabaceae			BLMS	1B.2		G2	S2.2		No				S													
<i>Madia radiata</i>	showy golden madia	VASC	Asteraceae			BLMS	1B.1		G2	S2.1		No				S					K								
<i>Mimulus gracilipes</i>	slender-stalked monkerflower	VASC	Phrymaceae			BLMS	1B.2		G3	S3.2		No	16-Nov-10			S													
<i>Mimulus norrisii</i>	Kaweah monkeyflower	VASC	Phrymaceae			BLMS	1B.3		G2	S2.3		No	16-Nov-10			K													
<i>Mimulus pictus</i>	Calico monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10			K													
<i>Mimulus shevockii</i>	Kelso Creek monkeyflower	VASC	Phrymaceae			BLMS	1B.2		G2	S2		No	13-Sep-12			K											K		
<i>Monardella undulata</i> subsp. <i>crispa</i>	crisp monardella	VASC	Lamiaceae			BLMS	1B.2		G3T2	S2.2		No	16-Nov-10			K													
<i>Monardella undulata</i> subsp. <i>undulata</i>	San Luis Obispo monardella	VASC	Lamiaceae			BLMS	1B.2		G2	S2.2		No	13-Sep-12	Formerly <i>M. frutescens</i> (Hoov.) Jokerst. Occurs on BLM lands in the Point Sal ACEC (Occurrence 31 in the CNDDDB).			K												
<i>Monolopia congdonii</i>	San Joaquin woolly threads	VASC	Asteraceae	FE			1B.2		G3	S3		Yes	13-Sep-12	Formerly <i>Lembertia congdonii</i> (A. Gray) Greene.			K				K								
<i>Navarretia setiloba</i>	Piute Mountains navarretia	VASC	Polemoniaceae			BLMS	1B.1		G1	S1.1		No				K													
<i>Nemacladus twisselmannii</i>	Twisselmann's nemacladus	VASC	Campanulaceae		SR	BLMS	1B.2		G1	S1.2		No				S													
<i>Opuntia basilaris</i> var. <i>treleasei</i>	Bakersfield cactus	VASC	Cactaceae	FE	SE		1B.1		G5T1	S1		No	13-Sep-12	The Fish and Wildlife Service uses the name <i>O. treleasei</i> J.M. Coult., but both Jepson Manual 1st and 2nd editions use the nomenclature shown above. Occurs on split estate (private surface, BLM subsurface).			S												

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
<i>Orcuttia inaequalis</i>	San Joaquin Valley orcutt grass	VASC	Poaceae	FT	SE		1B.1		G1	S1		Yes	13-Sep-12			K						K							
<i>Orthotrichum shevockii</i>	moss	BRYO	Bryaceae			BLMS	1B.3		G2	S2		No	13-Sep-12			S													
<i>Phacelia nashiana</i>	Charlotte's phacelia	VASC	Boraginaceae			BLMS	1B.2		G3	S3		No	13-Sep-12			K											K		
<i>Phacelia novemmillensis</i>	Nine Mile Canyon phacelia	VASC	Boraginaceae			BLMS	1B.2		G2	S2.2		No	16-Nov-10			K											K		
<i>Plagiobothrys uncinatus</i>	hooked popcorn-flower	VASC	Boraginaceae			BLMS	1B.2		G2	S2.2		No				S													
<i>Poa diabolii</i>	Diablo Canyon blue grass	VASC	Poaceae			BLMS	1B.2		G1	S1.2		No	16-Nov-10	May be on BLM lands in Ruda Canyon, San Luis Obispo Co.			S												
<i>Pseudobahia peirsonii</i>	Tulare pseudobahia	VASC	Asteraceae	FT	SE		1B.1		G1	S1		No				S													
<i>Ribes tularense</i>	Sequoia gooseberry	VASC	Grossulariaceae			BLMS	1B.3		G2	S2.3		No				K													
<i>Sidalcea hickmanii subsp. anomala</i>	Cuesta Pass checkerbloom	VASC	Malvaceae		SR	BLMS	1B.2		G3T1	S1		No	13-Sep-12			S					S								
<i>Sidalcea keckii</i>	Keck's checkerbloom	VASC	Malvaceae	FE			1B.1		G1	S1		No	13-Sep-12			K													
<i>Streptanthus cordatus var. piutensis</i>	Piute Mountains jewel-flower	VASC	Brassicaceae			BLMS	1B.2		G5T1	S1.2		No				K											K		
<i>Stylocline citroleum</i>	oil neststraw	VASC	Asteraceae			BLMS	1B.1		G2	S2		No	18-Sep-12	After reviewing CNDDDB, specific occurrence 18 has BLM lands within the mapped circle.			K												
<i>Stylocline masonii</i>	Mason neststraw	VASC	Asteraceae			BLMS	1B.1		G1	S1.1		No				S													
<i>Tortula californica</i>	California screw moss	BRYO	Pottiaceae			BLMS	1B.2		G2?	S2		No	13-Sep-12			S													
<i>Trifolium kingii subsp. dedeckerae</i>	DeDecker's clover	VASC	Fabaceae			BLMS	1B.3		G2	S2.3		No	13-Sep-12	DFG and CNPS still have as <i>T. dedeckerae</i> J.M Gillett. Was <i>Trifolium macilentum</i> var. <i>dedeckerae</i> (J.M. Gillett) Barneby in Jepson Manual 1st edition. The treatment used here is the treatment in Jepson Manual 2nd edition.			S										K		

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	FED STATUS	CA STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	EAGLE LAKE	EL CENTRO	HOLLISTER	MOTHER LODGE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	SURPRISE	UKIAH
-----------------	-------------	---------------	--------	------------	-----------	------------	--------------------	-------------	-------------	------------	-----------	----------------	--------------	----------	---------	--------	-------------	---------	--------	------------	-----------	-----------	--------------	---------	--------------	---------	------------	----------	-------

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; FC = Federal Candidate; FP = Proposed for Federal Listing; FD = Federally Delisted. State of California (CA) Status: SE = State Endangered; ST = State Threatened; SR = State Rare. California Rare Plant Rank: 1A = Plants presumed extinct in CA; 1B = Plants rare, threatened, or endangered in CA and elsewhere; 2 = Plants rare, threatened, or endangered in CA, but more common elsewhere; 3 = Plants about which more information is needed; 4 = Plants of limited distribution – a watch list. Decimals following the CA Rare Plant Rank Numbers: x.1 = Seriously endangered in CA; x.2 = Fairly endangered in CA; x.3 = Not very endangered in CA. Nevada Native Plant Society (NNPS) Status: W = Watch List. State of Nevada (NV) Status: CE = Critically Endangered; CE# = Proposed for Critically Endangered. Global and State Rank: The Global Rank is assigned by NatureServe and reflects the overall condition of the element throughout its global range; G-ranks are used for species as a whole, T-ranks for subspecies; the State (S) Rank is assigned by the State Heritage Program and reflects the overall condition of the element within a State. Code meanings can be found at: <http://www.natureserve.org/explorer/ranking.htm#interpret>. Comments: Additional information, only provided for some plants. Date Updated: This field is provided to show when changes or updates were last made to an element; this tracking was implemented only in recent years, so the field is blank for most elements. K or S under BLM field offices: K = Known to occur on BLM lands managed by that field office; S = Suspected to occur on BLM lands managed by that field office.